

ТАБЛИЦА ПОДБОРА

| Темп-ра в камере | Внешняя темп-ра | MGS-MGM 103; MGS-MGM 103L | | | | MGS-MGM 105; MGS-MGM 105L | | | | MGS-MGM 107; MGS-MGM 107L | | | | MGS-MGM 110; MGS-MGM 103L | | | | MGS-MGM 211; MGS-MGM 211L | | | |
|------------------|-----------------|---------------------------|---------|--------|--------|---------------------------|---------|--------|--------|-----------------------------|---------|--------|--------|---------------------------|---------|--------|--------|-----------------------------|---------|--------|--------|
| | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | |
| | | | ППУ-100 | ППУ-80 | ППУ-60 | | ППУ-100 | ППУ-80 | ППУ-60 | | ППУ-100 | ППУ-80 | ППУ-60 | | ППУ-100 | ППУ-80 | ППУ-60 | | ППУ-100 | ППУ-80 | ППУ-60 |
| 10° | 30° | 1290 | 8.8 | 8 | 7.3 | 1520 | 12 | 11 | 10 | 2124 | 15 | 14 | 12 | 2377 | 17 | 15 | 14 | 2641 | 29 | 26 | 24 |
| | 35° | 1168 | 7.9 | 7.2 | 6.6 | 1382 | 11 | 10 | 9.1 | 1910 | 14 | 13 | 12 | 2145 | 17 | 15 | 14 | 2383 | 27 | 25 | 22 |
| | 40° | 1045 | 7.1 | 6.5 | 5.9 | 1243 | 10 | 9.1 | 8.3 | 1698 | 13 | 12 | 11 | 1913 | 16 | 15 | 13 | 2125 | 24 | 22 | 20 |
| 5° | 30° | 1041 | 7.1 | 6.5 | 5.9 | 1238 | 9.4 | 8.6 | 7.8 | 1704 | 13 | 12 | 11 | 1910 | 16 | 15 | 13 | 2122 | 23 | 21 | 19 |
| | 35° | 940 | 6.4 | 5.8 | 5.3 | 1123 | 8.6 | 7.8 | 7.1 | 1528 | 12 | 11 | 10 | 1718 | 14 | 13 | 12 | 1909 | 21 | 19 | 17 |
| | 40° | 839 | 5.7 | 5.2 | 4.7 | 1006 | 7.8 | 7.1 | 6.5 | 1352 | 11 | 10 | 9.1 | 1526 | 13 | 12 | 11 | 1695 | 18 | 16 | 15 |
| 0° | 30° | 831 | 5.7 | 5.2 | 4.7 | 999 | 7.7 | 7 | 6.4 | 1352 | 11 | 10 | 9.1 | 1518 | 13 | 12 | 11 | 1687 | 18 | 16 | 15 |
| | 35° | 748 | 5.1 | 4.6 | 4.2 | 904 | 7 | 6.4 | 5.8 | 1207 | 10 | 9.1 | 8.3 | 1361 | 12 | 11 | 10 | 1512 | 17 | 15 | 14 |
| | 40° | 665 | 4.5 | 4.1 | 3.7 | 807 | 6.3 | 5.7 | 5.2 | 1063 | 9.2 | 8.4 | 7.6 | 1203 | 11 | 10 | 9.1 | 1337 | 16 | 15 | 13 |
| -5° | 30° | 654 | 4.4 | 4 | 3.7 | 799 | 6.1 | 5.6 | 5.1 | 1058 | 8.9 | 8.1 | 7.4 | 1191 | 11 | 10 | 9.1 | 1323 | 15 | 14 | 12 |
| | 35° | 586 | 3.9 | 3.5 | 3.2 | 720 | 5.5 | 5 | 4.6 | 939 | 8.2 | 7.5 | 6.8 | 1062 | 10 | 9.1 | 8.3 | 1180 | 14 | 13 | 12 |
| | 40° | 517 | 3.5 | 3.2 | 2.9 | 639 | 4.9 | 4.5 | 4.1 | 820 | 7.4 | 6.7 | 6.1 | 932 | 9.2 | 8.4 | 7.6 | 1036 | 13 | 12 | 11 |
| Темп-ра в камере | Внешняя темп-ра | MGS-MGM 212; MGS-MGM 212L | | | | MGS-MGM 213; MGS-MGM 213L | | | | MGS-MGM 315; F-MGS-MGM 315L | | | | MGS-MGM320; F-MGS-MGM320L | | | | MGS-MGM 330; F-MGS-MGM 330L | | | |
| | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | |
| | | | ППУ-100 | ППУ-80 | ППУ-60 | | ППУ-100 | ППУ-80 | ППУ-60 | | ППУ-100 | ППУ-80 | ППУ-60 | | ППУ-100 | ППУ-80 | ППУ-60 | | ППУ-100 | ППУ-80 | ППУ-60 |
| 10° | 30° | 3795 | 34 | 31 | 28 | 4283 | 38 | 35 | 32 | 4759 | 58 | 53 | 48 | 5874 | 66 | 60 | 55 | 7438 | 89 | 81 | 74 |
| | 35° | 3421 | 32 | 29 | 27 | 3880 | 35 | 32 | 29 | 4311 | 53 | 48 | 44 | 5293 | 61 | 56 | 51 | 6710 | 82 | 75 | 68 |
| | 40° | 3044 | 29 | 26 | 24 | 3475 | 32 | 29 | 27 | 3861 | 48 | 44 | 40 | 4704 | 56 | 51 | 46 | 5974 | 75 | 68 | 63 |
| 5° | 30° | 3051 | 29 | 26 | 24 | 3468 | 33 | 30 | 27 | 3853 | 49 | 45 | 41 | 4670 | 56 | 51 | 46 | 5956 | 76 | 69 | 63 |
| | 35° | 2736 | 26 | 24 | 22 | 3130 | 31 | 28 | 26 | 3478 | 45 | 41 | 37 | 4177 | 52 | 47 | 43 | 5336 | 69 | 63 | 58 |
| | 40° | 2418 | 24 | 22 | 20 | 2791 | 28 | 25 | 23 | 3101 | 40 | 36 | 33 | 3676 | 47 | 43 | 39 | 4710 | 63 | 58 | 53 |
| 0° | 30° | 2417 | 23 | 21 | 19 | 2774 | 28 | 25 | 23 | 3082 | 41 | 37 | 34 | 3637 | 48 | 44 | 40 | 4693 | 64 | 58 | 53 |
| | 35° | 2152 | 21 | 19 | 17 | 2532 | 26 | 24 | 22 | 2813 | 37 | 34 | 31 | 3220 | 44 | 40 | 37 | 4166 | 59 | 54 | 49 |
| | 40° | 1885 | 19 | 17 | 16 | 2208 | 23 | 21 | 19 | 2453 | 33 | 30 | 27 | 2795 | 40 | 36 | 33 | 3634 | 53 | 48 | 44 |
| -5° | 30° | 1878 | 18 | 16 | 15 | 2183 | 23 | 21 | 19 | 2426 | 33 | 30 | 27 | 2756 | 39 | 35 | 32 | 3616 | 52 | 48 | 44 |
| | 35° | 1653 | 16 | 15 | 13 | 1947 | 21 | 19 | 17 | 2163 | 30 | 27 | 25 | 2402 | 35 | 32 | 29 | 3164 | 48 | 44 | 40 |
| | 40° | 1428 | 15 | 14 | 12 | 1707 | 19 | 17 | 16 | 1897 | 26 | 24 | 25 | 2042 | 32 | 29 | 27 | 2711 | 43 | 39 | 36 |

ТАБЛИЦА ПОДБОРА

| Темп-ра в камере | Внешняя темп-ра | BGS-BGM 112; BGS-BGM 112L | | | | BGS-BGM 117; BGS-BGM 117L | | | | BGS-BGM 218; BGS-BGM 218L | | | | BGS-BGM 220; BGS-BGM 220L | | | |
|------------------|-----------------|-----------------------------|---------|---------|--------|-----------------------------|---------|---------|--------|---------------------------|---------|---------|--------|---------------------------|---------|---------|--------|
| | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | |
| | | | ППУ-120 | ППУ-100 | ППУ-80 | | ППУ-120 | ППУ-100 | ППУ-80 | | ППУ-120 | ППУ-100 | ППУ-80 | | ППУ-120 | ППУ-100 | ППУ-80 |
| -15° | 30° | 1114 | 8.2 | 7.3 | 6.4 | 1261 | 13 | 12 | 10 | 1433 | 17 | 15 | 13 | 1827 | 21 | 19 | 16 |
| | 35° | 979 | 7.6 | 6.8 | 5.9 | 1114 | 12 | 11 | 9.4 | 1266 | 16 | 14 | 12 | 1604 | 18 | 16 | 14 |
| | 40° | 846 | 7 | 6.2 | 5.5 | 970 | 11 | 9.8 | 8.6 | 1102 | 15 | 13 | 12 | 1385 | 17 | 15 | 13 |
| -20° | 30° | 834 | 6 | 5.3 | 4.7 | 947 | 9.1 | 8.1 | 7.1 | 1078 | 12 | 11 | 9.4 | 1361 | 16 | 14 | 12 |
| | 35° | 725 | 5.5 | 4.9 | 4.3 | 831 | 8.4 | 7.5 | 6.6 | 944 | 11 | 9.8 | 8.6 | 1173 | 15 | 13 | 12 |
| | 40° | 617 | 5 | 4.4 | 3.9 | 715 | 7.8 | 6.9 | 6.1 | 812 | 11 | 9.8 | 8.6 | 988 | 13 | 12 | 10 |
| -25° | 30° | 603 | 4.2 | 3.7 | 3.3 | 695 | 6 | 5.3 | 4.7 | 790 | 8.5 | 7.6 | 6.6 | 966 | 12 | 11 | 9.4 |
| | 35° | 515 | 3.8 | 3.4 | 3 | 601 | 5.5 | 4.9 | 4.3 | 683 | 7.8 | 6.9 | 6.1 | 806 | 10 | 8.9 | 7.8 |
| | 40° | 430 | 3.4 | 3 | 2.7 | 509 | 4.9 | 4.4 | 3.8 | 578 | 7.1 | 6.3 | 5.5 | 652 | 9 | 8 | 7 |
| Темп-ра в камере | Внешняя темп-ра | BGS-BGM 320; F-BGS-BGM 320L | | | | F-BGS-BGM 330; BGS-BGM 330L | | | | BGS-BGM 435; F-BGS 435 | | | | BGS-BGM 435; F-BGS 445 | | | |
| | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | | Q (Вт) | V (м³) | | |
| | | | ППУ-120 | ППУ-100 | ППУ-80 | | ППУ-120 | ППУ-100 | ППУ-80 | | ППУ-120 | ППУ-100 | ППУ-80 | | ППУ-120 | ППУ-100 | ППУ-80 |
| -15° | 30° | 2076 | 35 | 31 | 27 | 2869 | 45 | 40 | 35 | 4177 | 77 | 69 | 60 | 5102 | 91 | 81 | 71 |
| | 35° | 1823 | 31 | 28 | 24 | 2492 | 41 | 36 | 32 | 3635 | 69 | 61 | 54 | 4441 | 81 | 72 | 63 |
| | 40° | 1574 | 26 | 23 | 20 | 2136 | 37 | 33 | 29 | 3148 | 60 | 53 | 47 | 3804 | 72 | 64 | 56 |
| -20° | 30° | 1547 | 26 | 23 | 20 | 2088 | 34 | 30 | 27 | 3066 | 57 | 51 | 44 | 3720 | 70 | 62 | 55 |
| | 35° | 1333 | 22 | 20 | 17 | 1788 | 31 | 28 | 24 | 2621 | 50 | 44 | 39 | 3197 | 61 | 54 | 48 |
| | 40° | 1123 | 19 | 17 | 15 | 1508 | 28 | 25 | 22 | 2184 | 43 | 38 | 34 | 2693 | 53 | 47 | 41 |
| -25° | 30° | 1098 | 18 | 16 | 14 | 1457 | 25 | 22 | 20 | 2219 | 42 | 37 | 33 | 2614 | 52 | 46 | 41 |
| | 35° | 916 | 17 | 15 | 13 | 1223 | 22 | 20 | 17 | 1846 | 35 | 31 | 27 | 2202 | 44 | 39 | 34 |
| | 40° | 741 | 14 | 12 | 11 | 1008 | 19 | 17 | 15 | 1480 | 29 | 26 | 23 | 1807 | 36 | 32 | 28 |